

DM Healthcare Products, Inc.

Safety Data Sheet

Product: K18 For Human Use
MSDS ID: H1258

Revised Date: 01/01/19
Replaces Date: 10/19/17

1. Product and Company Identification

Product Code: K18 (XX) where XX is the percentage of K18 in the solution
Trade Name(s): K18
Product Type: A solution of Quaternary Ammonium Silane-Functionalized Methacrylate Resin in methyl methacrylate
Recommended Uses: Antimicrobial material
Restrictions: None identified

Company: DM Healthcare Products, Inc.
10080 Willow Creek Rd.
San Diego, CA 92131
Telephone: 858-348-1122

Emergency phone number (spill, leak, fire, exposure or accident):
US Domestic (800) 535-5053 (INFOTRAC) Includes Canada and Mexico
International +1 (352) 323-3500
China Specific (86) 400-120-0761
Germany Specific (49) 0800-181-2924
Australia Specific (61) 1-300-366-961

2. Hazards Identification

EMERGENCY OVERVIEW:

GHS Classification:

Physical Hazards	
Flammable liquid	Category 2 (H225)
Health Hazards	
Acute Toxicity (Oral)	Category 4 (H302)
Skin Corrosion /Irritation	Category 2 (H315)
Skin Sensitization	Category 1 (H317)
Specific Target Organ Toxicity (Single Exposure)	Category 3 (H335) Respiratory System

ENVIRONMENTAL HAZARDS

Hazardous to the Aquatic Environment (Acute)	Not Classified
Hazardous to the Aquatic Environment (Chronic)	Not Classified

PICTOGRAM



SIGNAL WORD

Danger

HAZARD STATEMENT(S)

H225	Flammable liquid and vapor
H302	Harmful if swallowed.

DM Healthcare Products, Inc.

Safety Data Sheet

Product: K18 For Human Use
MSDS ID: H1258

Revised Date: 01/01/19
Replaces Date: 10/19/17

H315 Causes mild skin irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation

PRECAUTIONARY STATEMENT(S)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.
P321 Specific treatment (see supplemental first aid instructions on this label).
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/ container to an approved waste disposal plant.

HMIS Classification:

Health Hazard: 2*
Flammability: 3
Physical Hazards: 0

NFPA Rating:

Health Hazard: 2*
Fire: 3
Reactivity Hazard: 0

3. Composition Information

**SUBSTANCE / MIXTURE
GENERIC NAME**

MIXTURE
K18 Antimicrobial material in methyl methacrylate

INGREDIENT	CAS No:	Classification	Concentration
K18 Antimicrobial Material	1566577-95-1	Ac tox. 4	10 – 50 %
Methyl Methacrylate	80-62-6	Flam. Liq. 2; Skin irrit. 2; Skin Sens.1; STOT SE 3	50 – 90 %

DM Healthcare Products, Inc.

Safety Data Sheet

Product: K18 For Human Use
MSDS ID: H1258

Revised Date: 01/01/19
Replaces Date: 10/19/17

4. First Aid Measures

GENERAL ADVICE:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

INHALATION

Remove the victim to fresh air. If not breathing, give artificial respiration. Consult a physician..

SKIN CONTACT

Remove all contaminated clothing, shoes and socks from the affected areas as quickly as possible. Wash the affected area under tepid running water using a mild soap.

EYE CONTACT

Gently rinse the affected eyes with clean water for at least 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

INGESTION

Do not induce vomiting. Do not give an unconscious person anything to drink. Get medical attention.

5. Fire and Explosion Hazard Data

SPECIFIC HAZARDS WITH REGARD TO FIRE-EXTINGUISHING MEASURES

Shut off the supply. Use extinguishing equipment from the up-wind side. If necessary wear protective clothing including a breathing apparatus.

If the fire extends to the surrounding area, cool the facilities by spraying with water.

Immediately move containers to safe place if possible.

EXTINGUISHING MEDIA

In case of fire use water spray, alcohol-resistant foam, dry chemical powder, carbon dioxide, dry sand.

SPECIAL HAZARDS ARISING FROM THE MIXTURE

No data available.

6. Accidental Release Measures

CAUTIONS FOR PERSONNEL

Wear proper equipment and avoid contact with skin and inhalation of vapor. Keep personnel away from downwind of any fire. Shut off all sources of ignition.

CAUTIONS FOR ENVIRONMENT

Prevent spills from entering waterways.

REMOVAL MEASURE

Shut off the leakage source to stop the leakage. For small spill, absorb spill with absorbent and collect in chemical waste container. For large spill, prevent contamination of surrounding area and move material to a safe place for collection.

PREVENTION OF SECOND ACCIDENT

Remove nearby sources of ignition and prepare extinguishing media.

7. Handling and Storage

HANDLING

Engineering measures

Avoid contact with skin and eyes. Wear proper protective equipment to prevent contact with skin or inhalation of the vapor. Pay attention to fire – keep away from sources of ignition. No Smoking.

DM Healthcare Products, Inc.

Safety Data Sheet

Product: K18 For Human Use
MSDS ID: H1258

Revised Date: 01/01/19
Replaces Date: 10/19/17

Cautions for safety handling

Use with an enclosed system or a local exhaust ventilation.

STORAGE

Adequate storage condition

Keep container tightly closed and in a dry and well-ventilated place. Avoid direct rays from the sun. No fire.

Safety adequate container materials

Glass, steel, stainless

8. Exposure Controls and Personal Protection Measures

COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

Component	CAS-No.	Value	Control parameters	Basis
K18	N/A			Not assigned
Methyl methacrylate	80-62-6	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Remarks	Upper Respiratory Tract Irritation, Eye Irritation Pulmonary edema, Body weight effects Not classifiable as a human carcinogen Sensitizer	
		STEL	100 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract Irritation, Eye Irritation Pulmonary edema, Body weight effects Not classifiable as a human carcinogen Sensitizer		
		TWA	100 ppm	USA. OSHA – Table Z-1 Limits Air Contaminants – 1910-1000
TWA	100 ppm 410 mg/m ³	USA. OSHA – Occupational Exposure Limits (OSHA) - Table Z-1 Limits for air Contaminants		
TWA	100 ppm 410 mg/m ³	USA. NIOSH Recommended Exposure Limits		

ENGINEERING MEASURES

Use only with adequate ventilation and in closed systems.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION

If necessary, wear a full face respirator with multipurpose combination cartridges as a backup to engineering controls.

EYE PROTECTION

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU)

DM Healthcare Products, Inc.

Safety Data Sheet

Product: K18 For Human Use
MSDS ID: H1258

Revised Date: 01/01/19
Replaces Date: 10/19/17

SKIN AND BODY PROTECTION

Handle with gloves. Use protective clothing of flame retardant and antistatic materials, protective boots.

9. Physical / Chemical Characteristics

APPEARLANCE, PHYSICAL STATE, COLOR, ODOR

Liquid, Colorless, Pungent

SPECIFIC TEMPERATURE or TEMPERATURE OF PHYSICAL CONDITIONS CHANGE

Boiling point	100°C (212°F) <Methyl Methacrylate>
Melting point	-48°C <Methyl Methacrylate>
Flash Point	9°C (48°F) <Methyl Methacrylate>
Explosion Limit	Upper : 12.5 vol%, Lower : 2.12 vol% <Methyl Methacrylate>
Vapor Pressure	51.3 hPa (25°C) <Methyl Methacrylate>
Vapor Density	3.46 <Methyl Methacrylate> (Air = 1.0)

10. Reactivity Hazard Data

STABILITY Polymerizes with evolution of heat. Avoid contact with incompatible materials. Unless inhibited, product can polymerize, raising temperature and pressure, possibly rupturing container. Check inhibitor content often adding to bulk liquid if needed. Do not blanket or mix with oxygen-free gas as it renders inhibitor ineffective.
Stable under recommended storage conditions.

CONDITIONS TO AVOID May polymerize on exposure to light. Heat flames and sparks. Extremes of temperature and direct sunlight.

REACTIVITY No data available .

INCOMPATIBILITY Oxidizing agents, alkali metals, peroxides, bases, acids, reducing agents, halogens.

HAZARDOUS DECOMPOSITION PRODUCTS

Carbon monoxide (under fire conditions) .

11. Toxicological Information

Acute Toxicity (Oral)	LD50I – rat – 7.872 mg/kg <methyl methacrylate>
Acute Toxicity (Dermal)	LD50 – rabbit - >5000 mg/kg <methyl methacrylate>
Acute Toxicity (Inhalation)	LC50 – rat – 4 h – 78,000 mg/m ³
Acute Toxicity (Dusts and Mists)	Not Classified
Skin Corrosion /Irritation	No data available
Serious Eye Damage /Eye Irritation	No data available
Respiratory or Skin Sensitization	No data available
Carcinogenicity	

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans <Methyl methacrylate>

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity No data available

Specific Target Organ Toxicity (Single Exposure) May cause respiratory irritation.

DM Healthcare Products, Inc.

Safety Data Sheet

Product: K18 For Human Use
MSDS ID: H1258

Revised Date: 01/01/19
Replaces Date: 10/19/17

Specific Target Organ Toxicity (Repeated Exposure) No data available
Aspiration Hazard No data available

12. Ecological Information

Hazardous to the Aquatic Environment (Acute) Not Classified
Hazardous to the Aquatic Environment (Chronic) Not Classified

13. Disposal Considerations

This material may be burned in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable.. Follow all regulations in your country.

14. Transport Information

DOT (US)

UN Class	Class 3 (Flammable liquid)
UN number	1993
UN proper shipping name	Methyl methacrylate monomer, stabilized
Packing group	II
Reportable Quantity (RQ)	1000 lbs
Marine pollutant	No

IATA

UN Class	Class 3 (Flammable liquid)
UN number	1993
UN proper shipping name	Methyl methacrylate monomer, stabilized
Packing group	II
Sub risk	-

Follow all regulations in your country.

15. Regulatory Information

TSCA Status:

One component of this material is not listed nor exempt from listing on the TSCA inventory. For R&D use only by trained professionals

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Methyl methacrylate	CAS-No. 80-62-6
---------------------	-----------------

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Methyl methacrylate	CAS-No. 80-62-6
---------------------	-----------------

DM Healthcare Products, Inc.

Safety Data Sheet

Product: K18 For Human Use
MSDS ID: H1258

Revised Date: 01/01/19
Replaces Date: 10/19/17

Pennsylvania Right To Know Components

Methyl methacrylate

CAS-No. 80-62-6

New Jersey Right To Know Components

Methyl methacrylate

CAS-No. 80-62-6

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information

The opinions expressed herein are those of qualified experts within DM Healthcare Products, Inc. We believe that the information contained herein is current, as of the date of this MSDS. Because the use of this information and of these opinions, and the conditions of use of this product, are not within the control of DM Healthcare Products, Inc., it is the user's legal obligation to determine the conditions of safe use of this product.