Product: K18 – For Human Use Revised Date: 06/01/17 MSDS ID: H1258 Replaces Date: 02/16/14

# 1. Product and Company Identification

Trade Name: K18

Product Code: K18 (XX) where XX is the percentage of K18 in the solution

Product Description A solution of Quaternary Ammonium Silane-Functionalized Methacrylate Resin in

ethanol

Identified Uses: Antimicrobial material

Company: DM Healthcare Products, Inc.

10080 Willow Creek Rd. San Diego, CA 92131

Telephone: +1 858-348-1122 Fax: +1 858-348-1123

Emergency phone number (spill, leak, fire, exposure or accident):

US Domestic 800-424-9300 (CHEMTREC)

International +1 703-527-3887

## 2. Hazards Identification

### **EMERGENCY OVERVIEW:**

**OSHA Hazards:** 

Flammable liquid, Target Organ Effect, Carcinogen

GHS Classification:

Flammable liquid

Acute Toxicity (Oral)

Skin Corrosion /Irritation

Eye irritation

Specific Target Organ Toxicity (Single Exposure)

Target organs:

Category 2 (H225)

Category 4 (H302)

Category 2 (H315)

Category 2B (H320)

Category 3 (H335)

Nerves, Liver, Heart, Liver

**ENVIRONMENTAL HAZARDS** 

Hazardous to the Aquatic Environment (Acute)

Not Classified
Hazardous to the Aquatic Environment (Chronic)

Not Classified

**PICTOGRAM** 



SIGNAL WORD Danger

### HAZARD STATEMENT(S)

H225 Flammable liquid and vapor
 H315 + H320 Causes skin and eye irritation.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation

Date printed: 6/21/2017 Page 1 of 7

Product: K18 – For Human Use Revised Date: 06/01/17 MSDS ID: H1258 Replaces Date: 02/16/14

### PRECAUTIONARY STATEMENT(S)

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.			
P233	Keep container tightly closed.			
P240	Ground/bond container and receiving equipment.			
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.			
P242	Use only non-sparking tools.			
P243	Take precautionary measures against static discharge.			
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.			
P264	Wash skin thoroughly after handling.			
P272	Contaminated work clothing should not be allowed out of the workplace.			
P280	Wear protective gloves/ protective clothing/ eye protection/			
	face protection.			
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated				
	clothing. Rinse skin with water/ shower.			
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable			
	for breathing.			
P312	Call a POISON CENTER or doctor/ physician if you feel unwell.			
P321	Specific treatment (see supplemental first aid instructions on this label).			
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.			
P362	Take off contaminated clothing and wash before reuse.			
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.			
	Store in a well-ventilated place. Keep container tightly closed.			
	Store in a well-ventilated place. Keep cool.			
P501	Dispose of contents/ container to an approved waste disposal plant.			
	the second secon			

## **HMIS Classification:**

Health Hazard: 2\* Flammability: 3 Physical Hazards: 0

### NFPA Rating:

Health Hazard: 2\*
Fire: 3
Reactivity Hazard: 0

# 3. Composition / Information On Ingredients

SUBSTANCE / MIXTURE MIXTURE

GENERIC NAME K18 Antimicrobial material in ethanol

INGREDIENT	CAS No:	Classification	Concentration
K18 Antimicrobial Material	Not registered	Ac tox. 4	10 – 50 %
Ethanol (ethyl alcohol)	64-17-5	Flam. Liq. 2; Skin irrit. 2; Eye Irrit2B; STOT SE 3	50 – 90 %

Date printed: 6/21/2017 Page 2 of 7

Product: K18 – For Human Use Revised Date: 06/01/17 MSDS ID: H1258 Replaces Date: 02/16/14

## 4. First Aid Measures

### **GENERAL ADVICE:**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### INHALATION

Remove the victim to fresh air. If not breathing, give artificial respiration. Consult a physician..

### SKIN CONTACT

Remove all contaminated clothing, shoes and socks from the affected areas as quickly as possible. Wash the affected area under tepid running water using a mild soap.

### **EYE CONTACT**

Gently rinse the affected eyes with clean water for at least 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

#### INGESTION

Do not induce vomiting. Do not give an unconscious person anything to drink. Get medical attention.

## 5. Fire and Explosion Hazard Data

### SPECIFIC HAZARDS WITH REGARD TO FIRE-EXTINGUISHING MEASURES

Shut off the supply. Use extinguishing equipment from the up-wind side. If necessary wear protective clothing including a breathing apparatus.

If the fire extends to the surrounding area, cool the facilities by spraying with water.

Immediately move containers to safe place if possible.

### **EXTINGUISHING MEDIA**

In case of fire use water spray, alcohol-resistant foam, dry chemical powder, carbon dioxide, dry sand.

### SPECIAL HAZARDS ARISING FROM THE MIXTURE

No data available.

### 6. Accidental Release Measures

### CAUTIONS FOR PERSONNEL

Wear proper equipment and avoid contact with skin and inhalation of vapor. Keep personnel away from downwind of any fire. Shut off all sources of ignition.

## CAUTIONS FOR ENVIRONMENT

Prevent spills from entering waterways.

### REMOVAL MEASURE

Shut off the leakage source to stop the leakage. For small spill, absorb spill with absorbent and collect in chemical waste container. For large spill, prevent contamination of surrounding area and move material to a safe place for collection.

### PREVENTION OF SECOND ACCIDENT

Remove nearby sources of ignition and prepare extinguishing media.

# 7. Handling and Storage

### **HANDLING**

### Engineering measures

Avoid contact with skin and eyes. Wear proper protective equipment to prevent contact with skin or inhalation of the vapor. Pay attention to fire – keep away from sources of ignition. No Smoking.

Date printed: 6/21/2017 Page 3 of 7

Product: K18 – For Human Use Revised Date: 06/01/17 MSDS ID: H1258 Replaces Date: 02/16/14

Cautions for safety handling

Use with an enclosed system or a local exhaust ventilation.

**STORAGE** 

Adequate storage condition

Keep container tightly closed and in a dry and well-ventilated place. Avoid direct rays from the sun. No fire.

Safety adequate container materials

Glass, steel, stainless

## 8. Exposure Controls and Personal Protection Measures

### COMPONENTS WITH WORKPLACE CONTROL PARAMETERS

Components	CAS-No.	Value	Control paramete	Basis		
Ethanol	64-17-5	TWA	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
Remarks	Upper Respiratory Tract Irritation. Confirmed animal carcinogen with unknown relevance to humans					
		TWA	1,000 ppm 1,900 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000		
		TWA	1,000 ppm 1,900 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	The value in mg/m3 is approximate.					
		TWA	1,000 ppm 1,900 mg/m3	USA. NIOSH Recommended Exposure Limits		

### **ENGINEERING MEASURES**

Use only with adequate ventilation.

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION

If necessary, wear a full face respirator with multipurpose combination cartridges as a backup to engineering controls.

EYE PROTECTION

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU)

SKIN AND BODY PROTECTION

Handle with gloves. Use protective clothing of flame retardant and antistatic materials, protective boots.

# 9. Physical / Chemical Characteristics

APPEARLANCE, PHYSICAL STATE, COLOR, ODOR

Liquid, Colorless, Characteristic Alcohol Odor

SAFETY DATA

Boiling point 78°C (172°F) <Ethanol>
Melting point -114°C (-173°F) <Ethanol>
Flash Point 14°C (57°F) <Ethanol>

Explosion Limit Upper: 19 vol%, Lower: 3.3 vol% <Ethanol>

Vapor Pressure 59.5 hPa (20°C) <Ethanol>

Date printed: 6/21/2017 Page 4 of 7

Product: K18 – For Human Use Revised Date: 06/01/17 MSDS ID: H1258 Replaces Date: 02/16/14

## 10. Reactivity Hazard Data

STABILITY Stable under recommended storage conditions.

CONDITIONS TO AVOID May polymerize on exposure to light. Heat flames and sparks. Extremes

of temperature and direct sunlight.

REACTIVITY No data available.

INCOMPATIBILITY Oxidizing agents, alkali metals, peroxides, bases, acids, reducing

agents, halogens.

HAZARDOUS DECOMPOSITION PRODUCTS

Carbon monoxide (under fire conditions).

## 11. Toxicological Information

Acute Toxicity (Oral) LD50l - rat - 7,060 mg/kg <Ethanol>

Acute Toxicity (Dermal) No data available

Acute Toxicity (Inhalation) LC50 – rat – 10 h – 20,000 mg/m³ <Ethanol>

Acute Toxicity (Dusts and Mists)
Skin Corrosion /Irritation
Serious Eye Damage /Eye Irritation
Respiratory or Skin Sensitization
Carcinogenicity

No data available
No data available
No data available
Mouse – Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver:Tumors. Blood:Lymphomas

including Hodgkin's disease.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified

as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified

as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified

as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity Human – female – Oral <Ethanol>

Effects on Newborn: Apgar score (human only). Drug

dependence <Ethanol>

Specific Target Organ Toxicity (Single Exposure)

May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure)

No data available

No data available

# 12. Ecological Information

Hazardous to the Aquatic Environment (Acute)

Not Classified
Hazardous to the Aquatic Environment (Chronic)

Not Classified

# 13. Disposal Considerations

This material may be burned in a chemical incinerator equipped with an afterburner. Follow all regulations in your country.

Date printed: 6/21/2017 Page 5 of 7

Product: K18 – For Human Use Revised Date: 06/01/17 MSDS ID: H1258 Replaces Date: 02/16/14

## 14. Transport Information

DOT (US)

UN Class 3 (Flammable liquid)

UN number 1993
UN proper shipping name Ethanol Packing group II
Reportable Quantity (RQ) Marine pollutant No

IATA

UN Class 3 (Flammable liquid)

UN number 1993
UN proper shipping name Ethanol Packing group II Sub risk -

Follow all regulations in your country.

# 15. Regulatory Information

### **TSCA Status:**

One component of this material is not listed nor exempt from listing on the TSCA inventory. For R&D use only by trained professionals

### **OSHA Hazards**

Flammable liquid, Target Organ Effect, Carcinogen

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

Ethanol CAS-No. 64-17-5

### Pennsylvania Right To Know Components

Ethanol CAS-No. 64-17-5

### **New Jersey Right To Know Components**

Ethanol CAS-No. 64-17-5

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Date printed: 6/21/2017 Page 6 of 7

Product: K18 – For Human Use Revised Date: 06/01/17 MSDS ID: H1258 Replaces Date: 02/16/14

## 16. Other Information

The opinions expressed herein are those of qualified experts within DM Healthcare Products, Inc. We believe that the information contained herein is current, as of the date of this MSDS. Because the use of this information and of these opinions, and the conditions of use of this product, are not within the control of DM Healthcare Products, Inc., it is the user's legal obligation to determine the conditions of safe use of this product.

Date printed: 6/21/2017 Page 7 of 7